

Invasive Alien Species of the Segura river basin

Priority management lists
2019



Invasive Alien Species of the Segura river basin

*Priority management lists:
implementation of A2 action of the
LIFE + RIPISILVANATURA project*

2019



Data sheet

Coordination: Francisco J. Oliva Paterna, Antonio Guillén Beltrán, Mar Torralva Forero
Department of Zoology and Physical Anthropology. Faculty of Biology. Universidad de Murcia.

Project management: Rafael Díaz García. Dirección General del Medio Natural.

Group coordinators (fauna): Francisco J. Oliva Paterna, José M. Zamora Marín, Mar Torralva Forero. Universidad de Murcia.

Group coordinators (flora): Pedro Sánchez Gómez. Universidad de Murcia.
A. Félix Carrillo López. Universidad de Alicante.

Workshop participants (alphabetical order): Aledo, Emilio; Almansa, Francisco J.; Amat, Fátima; Carrillo, Félix A.; Collantes, Francisco; Cremades, Manuel; Díaz, Rafael; Fraile, Jaime L.; Gallego, Diego; García-Meseguer, Antonio J.; Guerrero-Gómez, Adrián; Guillén, Antonio; Jiménez, Juan F.; Lafuente, Eduardo; Lencina, José L.; Martínez, José A.; Martínez-Saura, Carmen; Millán, Andrés; Miras, E. Belén; Miñano, Jesús; Oliva-Paterna, Francisco J.; Robledano-Aymerich, Francisco; Sánchez-Gómez, Pedro; Sánchez-Balibrea, Jorge; Sánchez-Pérez, Ana; Torralva, Mara; Velasco, Josefa; Vidal, José M.; Zamora-López, Antonio; Zamora-Marín, José M.

The dissemination of this technical document is authorized and appreciated. For bibliographic purposes it must be cited as:

Oliva-Paterna, FJ, A Guillén, M Torralva (Coord.). 2019. *Especies Exóticas Invasoras de la cuenca del río Segura. Listas prioritarias de gestión: implementación de la acción A2 del proyecto LIFE+ RIPISILVANATURA*. (Proyecto LIFE+ RIPISILVANATURA). Ed. Dirección General del Medio Natural. Murcia.

Translation author:

Josh Keane

Layout:

Latizal S.L.

Print:

Ortega Impresores
Printed on recycled paper

D.L.: MU 1095-2019

I.S.B.N.: 978-84-09-14015-2



Abstract

During 2018 in the implementation of the A2 action of the LIFE + RIPISILVANATURA project, work-meetings with the participation of more than 30 experts and staff involved in the environmental management have been developed to elaborate priority lists of aquatic and riparian Invasive Alien Species (IAS) in the Segura River Basin. In the present work we summarize the results of this participative evaluation action that has been innovative because it comes to improve communication and discussion channels at a regional level. In addition, this action has combined the interest of the Environmental Administration to update priorities in the management and control of IAS with the collaborative work of experts.

Through the application of species selection criteria and the prioritization by experts, a priority list of IAS for the management in the Segura River Basin composed of a total of 47 taxa (27 fauna and 20 flora) has been obtained. In addition, the first alert list of IAS with invasive potential (115 taxa) has also been developed, which should be a basic tool when making decisions in the strategy against new invasions. This work has received the grant through the LIFE program (LIFE13 BIO / ES / 001407).

Key-words: *rivers, biological invasions, management, riverine habitats.*

Resumen

Durante 2018, en el contexto de implementación de la acción A2 del proyecto LIFE+ RIPISILVANATURA, se han realizado varias jornadas de trabajo con más de 30 expertos y personal implicado en la gestión para la realización de listas prioritarias de gestión de Especies Exóticas Invasoras (EEI) de carácter acuático y ripario en la cuenca del río Segura. En el presente trabajo se resumen los resultados obtenidos en esta acción de evaluación participativa que ha sido innovadora a la hora de facilitar canales de comunicación y discusión a nivel regional. Además, esta acción ha conjugado el interés de la Administración medioambiental por actualizar prioridades en materia de gestión y control de EEI con el trabajo colaborativo de expertos.

Mediante la aplicación de criterios de selección de especies y la priorización por grupos de expertos sobre un listado base de EEI establecidas, se ha obtenido el *Catálogo de EEI prioritarias para la gestión en la cuenca del río Segura* compuesto por un total de 47 taxones (27 fauna y 20 flora). Además, se ha elaborado una primera lista de alerta de EEI con potencial invasor (115 taxones) que debe ser una herramienta básica a la hora de la toma de decisiones en la estrategia preventiva ante nuevas invasiones. Este trabajo ha recibido la subvención a través del programa LIFE (LIFE13 BIO/ES/001407).

Palabras clave: *ríos, invasiones biológicas, gestión, riberas.*




CONTENTS

1. INTRODUCTION AND JUSTIFICATION: PROBLEM OF INVASIVE ALIEN SPECIES (IAS) IN AQUATIC SYSTEMS AND RIVER BASIN.....	1
2. LIST OF PRIORITY IAS IN THE SEGURA RIVER BASIN: RESULT OF THE IMPLEMENTATION OF THE LIFE + RIPISILVANATURA.....	5
2.1. Objectives and methodology used: workshops to prepare priority lists of IAS..	6
3. RESULTS: PRIORITY LISTS OF MANAGEMENT.....	9
3.1. Catalog of priority IAS for management in the Segura river basin.....	10
3.2. Alert list of IAS with invasive potential in the Segura river basin.....	14
4. REFERENCE BIBLIOGRAPHY.....	19



1. INTRODUCTION AND JUSTIFICATION: PROBLEM OF INVASIVE ALIEN SPECIES (IAS) IN AQUATIC SYSTEMS AND RIVER BASIN





1. INTRODUCTION AND JUSTIFICATION: PROBLEM OF INVASIVE ALIEN SPECIES (IAS) IN AQUATIC SYSTEMS AND RIVER BASIN.

Biodiversity faces numerous threats around the world. At present, scientists and specialists involved in environmental management recognize that invasions caused by invasive alien species (IAS) are one of the greatest dangers for biological diversity (Clavero and García-Berthou 2005, Vilà et al., 2008). The ecological impacts of IAS are numerous, of a high intensity and generally irreversible. On a global scale, they can be as detrimental to native species and ecosystems as degradation and habitat loss. In fact, they are currently considered a fundamental component of global ecological change (Early et al., 2016).

The introduction of species is one of the main causes of species reduction and extinction (Primack and Ros 2002). However, in many cases it is difficult to detect, quantify or establish evidence of the impacts of these IAS. This difficulty basically lies in the non-existence of data prior to the invasion and in the absence of continuous monitoring or monitoring programs. Although there are cases of introduced taxa that have no impact on their new ecosystems, the majority of established species exert significant ecological impacts which may have environmental, socioeconomic and health consequences (Capdevila et al., 2006 and 2011). In the context of the conservation and management of aquatic systems, it is very important to understand the magnitude and scope of the impacts of these invasive alien taxa.

In general terms, IAS change the

composition of communities and reduce the abundance of native species through four main mechanisms (García-Berthou 2007): (1) hybridization and genetic alteration, (2) introduction of parasites and transmission of diseases, (3) trophic relationships and (4) changes at the ecosystem level. The effects of IAS as a whole can be so profound that they are able to alter the structure and functioning of entire ecosystems, threatening their ability to provide ecosystem services such as water regulation or flood control. It is also shown that the introduction of IAS can cause significant economic consequences related to the reduction of yields in fishing, agriculture or diverse recreational uses. In the case of aquatic systems, damages are also common in infrastructures related to irrigation or hydroelectric exploitation, the blockages that can cause in channeling and the loss of recreational spaces or cultural heritage. Additionally, certain IAS may be a problem of the first order for human health, since they can act as transmission vectors for dangerous diseases and pathogens, or they can cause dermatological problems and also trigger allergies with important effects on broad sections of society. The IAS are a very significant and growing problem in all European countries and the cost associated with their presence has been growing exponentially. In recent decades, it is estimated that the IAS have cost the European Union more than 12,000 million euros per year according to sources from the European Commission (European Union 2014).

The continental aquatic ecosystems, including their riparian habitats, are among the most intensely affected by the introduction of IAS (Chucherousset and Olden 2011, Gallardo et al., 2016). The degradation of these ecosystems



has caused exotic species to become established and become invasive more easily than in other environments. Many of the IAS are skillful colonizers that present a rapid adaptation in degraded aquatic or riparian habitats, among other aspects, characterized by communities with a reduction of competition between species that facilitates this adaptation. For example, in the case of their fish communities, the condition is particularly high (Gozlan et al., 2010, Leunda 2010). The patterns observed in the Iberian Peninsula with this faunal component are very disturbing (Clavero 2011), a large part of the established exotic invasive fish are expanding their distribution areas and, moreover, new introductions of taxa that had never been cited in our aquatic systems are described (Anastacio et al., 2019). Most of the river basins of the Iberian Mediterranean harbor more foreign species than native ones, with the Segura river basin being a prime example (Torralva et al., 2005, Oliva-Paterna et al., 2017 and 2019). Similar patterns present other very significant biological components in the dynamics of aquatic ecosystems such as several groups of invertebrates (molluscs, macrocrustaceans, etc.), macrophytes and other characteristic flora of our riverbanks (Dana et al., 2005, García-Berthou et al., 2007), Vilà et al., 2008, Cobo et al., 2010).

The biological diversity currently present in the aquatic systems and riparian habitats of the Segura river basin reflects a remarkable degradation and loss of biotic integrity compared to historical data (Oliva-Paterna et al., 2014). The number of invasive alien species has increased significantly, the change in this community has been drastic in a period of less than 25 years, being even greater in certain fluvial

sectors with biggest human impact and also in artificial systems (reservoirs and water irrigation ponds) that are optimal reservoirs for many IAS. Several species included in the Spanish Catalog of Invasive Alien Species (RD 630/2013) have been cited in recent decades (Miñano et al., 2002, Oliva-Paterna et al., 2005, 2014 and 2017, González-Wangüemert and Pujol 2016, Zamora-Marin et al., 2016 and 2018). However, there is a notable absence of information on the real and potential impacts that this exotic component is exerting at the regional level. The updated inventory of alien invasive taxa established in aquatic systems and riparian habitats is presented in this work, together with a list of potential species with a higher risk of future invasion (Alarm list). In addition, it is complemented by an updated review on the ecological impacts that these IAS may have on native diversity, on the most significant economic impacts and on the most important human health problems. This type of work aims to offer a necessary approach aimed at the development of tools in the management and conservation of regional biodiversity at the river basin scale (Capdevila et al., 2006, Dana et al., 2011).

In the long term, education, raising awareness and increasing the perception of the problem of IAS among citizens, stakeholders and social agents, as well as those responsible for management may be the most important contribution to reduce the entry of new species and effectively control biological invasions.



What role do the IAS priority lists have?

The preparation of priority IAS management lists is a necessary tool within strategic management actions (Capdevila et al., 2006). The type of lists presented in this paper are instruments that improve the regional framework for early warning and prompt response in the management that should be developed in the strategic management guidelines at river basin level. In addition, the prevention of the expansion of IAS channeled through human activities is dependent on the periodic updating of these lists and the field monitoring of localities established in early warning networks.

The priority lists of IAS at the river basin level fulfill several functions that must be integrated in the guidelines or strategies for the management, control and eradication of invasive species.

- Optimize the management prioritizing on focal IAS.
- Facilitate decision-making in sectors that are competent in management, both preventive and reactive through control actions.
- Constitute reference lists for all the sectors involved.
- Indicate surveillance priorities and trigger an early response mechanism in the case of introductions.

At present, there are lists of disturbing or unwanted species that are made for exclusively economic and health considerations. The lists of priority IAS presented in this manual also include a broad spectrum of species that are or may be a threat to the native biodiversity of the Segura river

basin. At European level, as well as at the level of specific biogeographical regions, several works have recently been carried out to prepare lists of priority IAS for management with a similar but more complete development dynamic than that presented in this document (e.g. Gallardo et al. 2016, Carboneras et al 2017, Gallardo and Capdevila 2018, Roy et al., 2018).

2. LIST OF PRIORITY IAS IN THE SEGURA RIVER BASIN: RESULT OF THE IMPLEMENTATION OF THE LIFE + RIPISILVANATURA



2. LIST OF PRIORITY IAS IN THE SEGURA RIVER BASIN: RESULT OF THE IMPLEMENTATION OF THE LIFE + RIPISILVANATURA.

2.1. 2.1 Objectives and methodology used: workshops to prepare priority lists of IAS.

In the context of the design of strategic lines of management and control of IAS in the Segura river basin, the LIFE + RIPISILVANATURA project (LIFE13 BIO/ES/001407) has implemented the development of workshops for the preparation of IAS lists priorities in management (Figure 2.1) (Action A2). This process of cooperative participation among a large group of experts and technicians carried out during 2018 has had the following main objectives for the entire area of the Segura river basin:

- (1) Preparation of a complete list of IAS present and established in the aquatic environment and riparian habitats.
- (2) Development of the Catalog of priority

IAS for management in the Segura river basin.

(3) Realization of a list of indicative relationships of invasive potential, called alert list, which should be understood as an open inventory that will be updated constantly.

(4) Participatory discussion on recommendations and guidelines for its management.

Collaterally, the workshops carried out (Figure 2.1) have contributed to the sharing of the situation of IAS in the Segura river basin. In order to prepare inventories of IAS that have an application in management, the available and current information on dozens of taxa has been collected in monographic records. Thus, the lists and monographic information sheets produced are the result of the joint effort of the group of experts and technicians who, as participants in the workshops or authors of these sheets, have made very useful contributions, regardless of the volume of information contributed.



Figure 2.1. Workshops held with experts and technicians to prepare lists of priority IAS in management in the context of the LIFE + RIPISILVANATURA project.



Approximately 30 participants have assumed the task of collecting information and the specific treatment of all IAS presents in the Segura river basin. As a whole, information about their knowledge, their status of invasion and tendency of their populations has been incorporated and systematized. That's constitutes a first framework for assessment and management at the river basin level. This information is basic for its evaluation and application in a strategic management context.

The inventory exercise or initial list of taxa was carried out with simple selection criteria related to biology, ecology, distribution and invasive character. Thus, under the precautionary principle in management, the initial work inventory was prepared with established species with a confirmed invasive character (IAS) in the Segura river basin, together with exotic species with uncertainty about their ecological and socioeconomic impacts. In addition, only those taxa that develop their cycle partially or totally in aquatic systems and riparian environments were considered. The exotic species that inhabit exclusively in anthropic environments have not been evaluated, nor the considered pests or diseases that affect agricultural crops, livestock, etc. The latter are included in collateral regulations for the management of biodiversity that are not the subject of the lists prepared in this work (e.g. Directive 2000/29/EC, Regulation 708/2007, etc.). Exceptionally and in a consensual manner, certain taxa have been included that are not exclusively dependent on the aquatic systems and riparian environments in their life cycle but that are common in these habitats.

To this sequence of criteria was

incorporated the opinion of the experts in the groups of species on aspects related to the prioritization of concrete taxa and the specific treatment of them. Thereby, for the incorporation of the species in the list known as the Catalog of priority IAS for management in the Segura river basin, priority criteria were used, basically related to two general aspects concerning to:

- (1) The effects or impacts on native biodiversity and on natural or semi-natural ecosystems.
- (2) The possibilities of management, control and eradication of the species.



3. RESULTS: PRIORITY LISTS OF MANAGEMENT



3. RESULTS: PRIORITY LISTS OF MANAGEMENT.

3.1. Catalog of priority IAS for management in the Segura river basin.

A list composed of a total of 47 taxa (27 fauna and 20 flora) present and established in the aquatic environment or in riparian habitats of the basin has been inventoried, which, as a whole, make up the so-called *Catalog of priority IAS for management in the Segura river basin* (Tables 3.1 and 3.2). 46.8% of the taxa included in this list are formed of species present in the *Spanish Catalog of Invasive Alien Species* (RD 630/2013) in the scope of application of the Segura river basin, although only 8, 5% are species that are included in the *List of Invasive Alien Species of Union concern* that stem from the application of Regulation (EU) No. 1143/2014.

The process of invasion by IAS of the aquatic systems and riparian habitats of the Segura river basin has been developing for years. However, in recent decades it has accelerated and 56.5% of the IAS present and included in this Catalog of priority IAS for management have colonized the Segura river basin after 1975 (Figure 3.1). In addition, more than half of the taxa included in this catalog (approximately 57,8%) show an extended distribution in the river basin with its presence in several ecogeographic sectors and with an affection in several types of habitats (Figure 3.2). These patterns highlight the need for the establishment of measures that reduce invasion rates and allow rapid or early response in the management of new invasions, both from the river basin itself and from non-affected sectors within it. In this context, the establishment of a

monitoring network and early warning to quickly locate new sites of these IAS is another basic tool that should be established in its strategic management.

Another pattern particularly significant is that 73,7% of the inventoried species come from intentional or negligent introductions. This aspect highlights the need for training and awareness campaigns in key sectors involved in processes related to the dispersal of aquatic IAS (e.g. sport fishing, aquatic sports, fishkeeping, agriculture, etc.). Likewise, within these preventive measures related to awareness raising, it is necessary to involve these sectors in surveillance and control.



Table 3.1. Catalog of priority IAS for management in the Segura river basin (fauna). The scientific name, common name, as well as its inclusion in the R.D. 630/2013 in the scope of application of the Segura river basin and in the List of invasive alien species of Union concern (P: present).

Scientific name	Common name	R.D. 630/2013	EU List
NON-ARTHROPOD INVERTEBRATES (Except mollusc)			
<i>Anguillicoloides crassus</i>	Parasitic nematode of eels	--	--
MOLLUSCS			
<i>Corbicula fluminea</i>	Golden freshwater clam	P	--
<i>Gyraulus chinensis</i>	--	--	--
<i>Physa acuta</i>	--	--	--
<i>Potamopyrgus antipodarum</i>	New Zealand Mudsail	P	--
CRUSTACEANS			
<i>Callinectes sapidus</i>	Blue crab	--	--
<i>Lernaea cyprinacea</i>	Anchor worm	--	--
<i>Pacifastacus leniusculus</i>	Signal crayfish	P	P
<i>Procambarus clarkii</i>	Red swamp crayfish	P	P
NON-CRUSTACEAN ARTHROPODS			
<i>Aedes albopictus</i>	Asian tiger mosquito, Forest day mosquito	P	--
<i>Rhynchophorus ferrugineus</i>	Red palm weevil	P	--
FISHES			
<i>Alburnus alburnus</i>	Bleak	P	--
<i>Carassius auratus</i>	Goldfish	--	--
<i>Cobitis paludica</i>	Iberian loach	--	--
<i>Cyprinus carpio</i>	Common carp	P	--
<i>Esox lucius</i>	Northern pike	P	--
<i>Gambusia holbrooki</i>	Eastern mosquitofish	P	--
<i>Gobio lozanoi</i>	Iberian gudgeon	--	--
<i>Lepomis gibbosus</i>	Pumpkinseed	P	--
<i>Micropterus salmoides</i>	Largemouth black bass	P	--
<i>Pseudochondrostoma polylepis</i>	Iberian nase	--	--
<i>Oncorhynchus mykiss</i>	Rainbow trout	P	--
<i>Sander lucioperca</i>	Pike-perch	P	--
REPTILES			
<i>Trachemys spp.</i>	Yellow-bellied Slider Turtle	P	P
BIRDS			
<i>Cairina moschata</i>	Muscovy Duck	--	--
<i>Estrilda spp.</i>	Waxbill	P	--
<i>Tadorna ferruginea</i>	Ruddy Shelduck	--	--

Table 3.2. Catalog of priority IAS for management in the Segura river basin (flora). The scientific name, common name, as well as its inclusion in the R.D. 630/2013 in the scope of application of the Segura river basin and in the List of invasive alien species of Union concern (P: present); *: present in another scope of application; **: presence of the species *Pennisetum setaceum*).

Scientific name	Common name	R.D. 630/2013	EU List
FLORA			
<i>Acacia sp.pl.</i>	Wattle, acacia	*	--
<i>Acacia farnesiana</i>	Cassie flower, fragrant acacia, sweet acacia	*	--
<i>Ailanthus altissima</i>	Tree of heaven	P	--
<i>Araujia sericifera</i>	Bladder flower, moth vine	P	--
<i>Arundo donax</i>	Giant reed	*	--
<i>Austrocylindropuntia sp. pl.</i>	Cholla	P	--
<i>Cercis siliquastrum</i>	Judas tree	--	--
<i>Cortaderia sp.pl.</i>	Pampas grass	P	--
<i>Elaeagnus angustifolia</i>	Russian olive	--	--
<i>Eucalyptus sp. pl.</i>	Eucalypts	--	--
<i>Ipomoea sp. pl.</i>	Morning glory	*	--
<i>Lantana camara</i>	Lantana	--	--
<i>Lonicera japonica</i>	Japanese honeysuckle	--	--
<i>Nicotiana glauca</i>	Tree tobacco	--	--
<i>Oxalis pes-caprae</i>	Bermuda buttercup	P	--
<i>Pennisetum sp.pl.</i>	Grass	**	**
<i>Platanus hispanica</i>	Plane	--	--
<i>Populus x canadensis</i>	Canadian poplar	--	--
<i>Robinia pseudoacacia</i>	Black locust, false acacia	--	--
<i>Zygophyllum fabago</i>	Syrian beancaper	--	--



IAS established in the Segura river basin




Figure 3.1. Temporal evolution in taxa present in the Segura river basin included in the *Catalog of priority IAS for management in the Segura river basin*. It is presented the total number of taxa established based on three time periods.

Range of distribution of IAS established in the Segura river basin




Figure 3.2. Current distribution of taxa present in the Segura river basin included in the *Catalog of priority IAS for management in the Segura river basin*. It is presented the total number of taxa according to the range of distribution categories established in this document.

3.2. Alert list of IAS with invasive potential in the Segura river basin.

In the context of a preventive management strategy, a first inventory of species with invasive potential has also been established, forming an alert list of 115 taxa (75 fauna, 40 flora) (Tables 3.3, 3.4 and 3.5). 42.6% of these taxa are included in the R.D. 630/2013 that includes the Spanish catalog of invasive alien species but only 10.4% are presents in the List of invasive alien species of Union concern.

This IAS Alert List for the Segura river basin should be understood as an open inventory with the need for periodic updating. It should be a tool that facilitates

decision-making in sectors that are competent in preventive management, that indicates priorities for monitoring and that can constitute a reference list for all the sectors involved.

It should be designe mechanisms that allow a periodic review of these lists for its updating. It is necessary to understand that lists are flexible instruments and that risk analysis procedures are essential and mandatory elements for making decisions about potential introductions, whether primary in the river basin or secondary over non-invaded areas.



Table 3.3. Alert list of IAS with invasive potential in the Segura river basin (invertebrate fauna). Its is presented scientific name, common name, as well as its inclusion in the R.D. 630/2013 and in the LIST of invasive alien species of Union concern (P: present; *: cited taxa not established).

Scientific name	Common name	R.D.630/2013	UE List
NON-ARTHROPOD INVERTEBRATES (Except molluscs)			
<i>Branchiura sowerbyi</i>	Oligochaete, A tubificid worm	--	--
<i>Cordylophora caspia</i>	Freshwater hydroid	P	--
<i>Craspedacusta sowerbyi</i>	Freshwater jellyfish	--	--
<i>Dactylogyrus anchoratus</i>	Carassius auratus parasite	--	--
<i>Ficopomatus enigmaticus</i>	Australian tubeworm	P	--
<i>Gyrodactylus cyprini</i>	Cyprinus carpio parasite	--	--
<i>Gyrodactylus katharineri</i>	Cyprinus carpio parasite	--	--
<i>Phyllodistomum folium</i>	Dreissena polymorpha parasite	--	--
<i>Pseudodactylogyrus anguillae</i>	Anguilla anguilla parasite	--	--
<i>Xirongiton victoriensis</i>	Pacifastacus leniusculus parasite	--	--
MOLLUSCS			
<i>Dreissena bugensis</i>	Quagga mussel	P	--
<i>Dreissena polymorpha</i>	Zebra mussel	P	--
<i>Ferrissia fragilis</i> *	Fragile Ancyloid	--	--
<i>Limnoperna securis</i>	Mussel	P	--
<i>Melanoides tuberculatus</i>	Kangaroo snail, red-rimmed melania	P	--
<i>Mytilopsis leucophaeta</i>	Dark false mussel	P	--
<i>Planorbella duryi</i> *	Seminole Rams Horn	--	--
<i>Pomacea maculata</i>	Island apple snail	P	--
<i>Sinanodonta woodiana</i>	Chinese pond mussel	P	--
CRUSTACEANS			
<i>Argulus japonicus</i>	Japanese fishlous	--	--
<i>Artemia franciscana</i>	San Francisco brine shrimp	--	--
<i>Cypris spp.</i>	Cypris	--	--
<i>Cherax destructor</i>	Common yabby crayfish	P	--
<i>Dikerogammarus villosus</i>	Killer shrimp	P	--
<i>Eriocheir sinensis</i>	Chinese mitten crab	P	P
<i>Ilyodromus viridulus</i>	----	--	--
<i>Oronectes limosus</i>	Spinycheek crayfish	P	P
<i>Palaemon macrodactylus</i>	Oriental shrimp	--	--
<i>Procambarus virginalis</i>	Marbled crayfish	--	--
<i>Rhithropanopeus harrisi</i>	Dwarf crab; estuarine mud crab	P	--
<i>Triops longicaudatus</i>	Summer tadpole shrimp	P	--
<i>Stenocypris major</i>	----	--	--
NON-CRUSTACEAN ARTHROPODS			
<i>Anoplophora chinensis</i>	Citrus longhorn beetle	--	--
<i>Apate monachus</i>	Black borer	--	--
<i>Eidmannella pallida</i>	----	--	--
<i>Heteropoda venatoria</i>	Huntsman Spider	--	--
<i>Macrothele calpeiana</i>	Funnel web spider	--	--
<i>Pholcus opilionoides</i>	Daddy-long-legs spider	--	--
<i>Pholcus phalangioides</i>	Long-bodied cellar spider	--	--
<i>Stenopelmus rufinus</i>	Water fern weevil	--	--
<i>Trichocorixa verticalis</i>	---	--	--
<i>Vespa velutina</i>	Asian hornet	P	P

Table 3.4. Alert list of IAS with invasive potential in the Segura river basin (vertebrate fauna). Its is presented scientific name, common name, as well as its inclusion in the R.D. 630/2013 and in the List of invasive alien species of Union concern (P: present; *: cited taxa not established).

Scientific name	Common name	R.D.630/2013	UE List
FISHES			
<i>Ameiurus melas</i>	Black bullhead	--	--
<i>Australoheros facetus</i> *	Chameleon cichlid, Chanchito	P	--
<i>Blicca bjoerkna</i>	Silver bream	--	--
<i>Carassius carassius</i>	Crucian carp	--	--
<i>Carassius gibelio</i>	Prussian carp	--	--
<i>Coptodon zillii</i>	Redbelly tilapia	--	--
<i>Ctenopharyngodon idella</i>	Grass carp	--	--
<i>Fundulus heteroclitus</i>	Mummichog	P	--
<i>Gambusia affinis</i>	Mosquito fish	--	--
<i>Ictalurus punctatus</i>	Channel catfish	P	--
<i>Misgurnus anguillicaudatus</i>	Oriental weatherfish	P	--
<i>Oreochromis spp.</i>	Tilapia	--	--
<i>Perca fluviatilis</i>	Perch	P	--
<i>Pseudorasbora parva</i>	Topmouth gudgeon	P	P
<i>Poecilia reticulata</i>	Guppy	--	--
<i>Rhodeus amarus</i>	Bitterling	--	--
<i>Rutilus rutilus</i>	Roach	P	--
<i>Scardinius erythrophthalmus</i>	Rudd	P	--
<i>Silurus glanis</i>	Wels catfish	P	--
<i>Tinca tinca</i> *	Tench	--	--
AMPHIBIANS			
<i>Lithobates catesbeianus</i>	American Bullfrog	P	P
REPTILES			
<i>Chinemys (=Mauremys) reevesii</i>	Chinese pond turtle, Chinese three-keeled pond turtle, Reeves turtle	--	--
<i>Chrysemys picta</i>	Painted turtle	P	--
<i>Graptemys pseudogeographica</i>	False map turtle	--	--
<i>Pseudemys spp.*</i>	Cooter	<i>P. peninsularis</i>	--
BIRDS			
<i>Alopochen aegyptiacus</i>	Egyptian Geese	P	--
<i>Amandaba amandaba</i>	Red avadavat	P	--
<i>Euplectes afer</i>	Yellow-crowned Bishop	P	--
<i>Haemorhous mexicanus</i>	House finch	--	--
<i>Myiopsitta monachus</i> *	Monk Parakeet	P	--
<i>Oxyura jamaicensis</i>	Ruddy duck	P	P
<i>Ploceus cucullatus</i>	Village weaver	P	--
MAMMALS			
<i>Neovison vison</i>	American mink	P	P
<i>Ondatra zibethicus</i>	Muskrat	P	P



Table 3.5. Alert list of IAS with invasive potential in the Segura river basin (flora). Its is presented scientific name, common name, as well as its inclusion in the R.D. 630/2013 and in the List of invasive alien species of Union concern (P: present; *: except *Hydrocotyle vulgaris*; **: except *Ludwigia palustris*).

Scientific name	Common name	R.D.630/2013	UE List
FLORA			
<i>Didymosphenia geminata</i>	Didymo, rock snot	P	
<i>Acacia dealbata</i>	--	P	--
<i>Agave sp. pl.</i>	Agave	<i>A. americana</i>	--
<i>Aloe vera</i>	--	--	--
<i>Aptenia cordifolia</i>	Baby sun rose	--	--
<i>Artemisia verlotiorum</i>	--	--	--
<i>Atriplex semibaccata</i>	Creeping saltbush	--	--
<i>Azolla sp. pl.</i>	Water fern	P	--
<i>Bidens sp. pl.</i>	Beggarticks	--	--
<i>Cabomba caroliniana</i>	Carolina fanwort	P	P
<i>Carpobrotus sp. pl.</i>	Ice plant	<i>C. acinaciformis</i> , <i>C. edulis</i>	-- --
<i>Conyza sp. pl.</i>	Fleabane	--	--
<i>Cyperus alternifolius</i>	Umbrella plant	--	--
<i>Datura sp. pl.</i>	Jimsonweed	--	--
<i>Egeria densa</i>	Brazilian elodea	P	--
<i>Eichhornia crassipes</i>	Water hyacinth	P	P
<i>Fallopia convolvulus</i>	Black bindweed	--	--
<i>Gleditsia triacanthos</i>	Honey locust	--	--
<i>Helianthus tuberosus</i>	Jerusalem artichoke	--	--
<i>Heliotropium curassavicum</i>	--	--	--
<i>Hydrilla verticillata</i>	Hydrilla	--	--
<i>Hydrocotyle sp. pl. *</i>	Pennywort	<i>H. ranunculoides</i>	--
<i>Lemna minuta</i>	Least Duckweed	--	--
<i>Ludwigia sp. pl. **</i>	--	P	<i>L. grandiflora</i> <i>L. peploides</i>
<i>Malephora crocea</i>	Red ice plant		
<i>Melia azedarach</i>	Chinaberry	--	--
<i>Myriophyllum aquaticum</i>	Parrot feather	--	--
<i>Nymphaea mexicana</i>	Yellow water-lily, mexican water-lily	P	P
<i>Opuntia sp. pl.</i>	Cactus pear	P	--
<i>Parkinsonia aculeata</i>	Mexican palo-verde	<i>O. dillenii</i> , <i>O. maxima</i> , <i>O. stricta</i>	-- -- --
<i>Paspalum paspalodes</i>	Knotgrass	--	--
<i>Periploca graeca</i>	--	--	--
<i>Pistia stratiotes</i>	Water lettuce	--	--
<i>Pyracantha sp. pl.</i>	Firethorn	P	--
<i>Ricinus communis</i>	Castor bean	--	--
<i>Salvinia sp. pl.</i>	Salvinia	--	--
<i>Senecio angulatus</i>	Creeping groundsel	P	--
<i>Stenotaphrum secundatum</i>	Buffalo grass	--	--
<i>Washingtonia sp. pl.</i>	Palms	--	--
<i>Xanthium sp. pl.</i>	Cockleburs	--	--
<i>Yucca sp. pl.</i>	Yucca	--	--



4. REFERENCE BIBLIOGRAPHY



4. REFERENCE BIBLIOGRAPHY.

- Abichandani SL. 2007. The potential impact of the invasive species *Arundo donax* on water resources along the Santa Clara river: seasonal and diurnal transpiration. Tesis doctoral. University of California.
- AEMS Ríos con Vida. 2018. Peces continentales exóticos e invasores. Propuestas para una gestión de las especies piscícolas exóticas invasoras más integrada y sostenible. Informe Final. Junio 2018.
- Alcaraz F, Barreña JA, Clemente M, González AJ, López J, Rivera D, Ríos S. 2005. Manual de interpretación de los hábitats de interés comunitario de la Región de Murcia (Baraza F, ed.). Murcia: Consejería de Industria y Medio Ambiente.
- Aldridge D. 2016. Spinycheek crayfish, *Orconectes limosus*. Non-native species secretariat, Gran Bretaña.
- Almeida D, Merino R, Vilizzi L, Copp GH. 2014. Interspecific aggressive behaviour of invasive pumpkinseed *Lepomis gibbosus* in iberian fresh waters. PLoS ONE 9 (2): 7.
- Almeida D, Stefanoudis PV, Fletcher DH, Rangel C, Da Silva E. 2014. Population traits of invasive bleak *Alburnus alburnus* between different habitats in Iberian fresh waters. Limnologica 46: 70-76.
- Alonso F. 2011. La dispersión de los cangrejos rojo y señal en Castilla-La Mancha: ¿son válidas las medidas de gestión de especies invasoras a nivel geográfico de comunidad autónoma? Foresta 47-48: 244-252.
- Álvarez C, Muntaner J. 2009. Control de aves invasoras en las Islas Baleares. Anuari Ornitológic de les Balears, pp. 67-71.
- Amat F, Hontoria F, Navarro JC, Vieira N, Mura G. 2007. Biodiversity loss in the genus *Artemia* in the Western Mediterranean Region. Limnetica 26 (2): 387-404.
- Amat F, Hontoria F, Ruiz O, Green A, Sánchez M, Figuerola J, Hortas F. 2005. The American brine shrimp as an exotic invasive species in the Western Mediterranean. Biological Invasions 7: 37-47.
- Amat F. 1985. Biología de *Artemia*. Informes Técnicos del Instituto de Investigaciones Pesqueras, pp. 126- 127.
- Amat-Trigo F, Torralva M, Ruiz-Navarro A, Oliva-Paterna FJ. 2019. Colonization and plasticity in population traits of the invasive *Alburnus alburnus* along a longitudinal river gradient in a Mediterranean river basin. Aquatic Invasion 14(2): 310-331.
- Amat-Trigo F. 2017. *Gobio – Gobio lozanoi*. *Enciclopedia Virtual de los Vertebrados Españoles*. (Sanz JJ & Oliva Paterna FJ, ed.). Museo Nacional de Ciencias Naturales, Madrid.
- Amat-Trigo F. 2018. Biological response of invasive fish in a highly regulated mediterranean river basin. Tesis Doctoral. Universidad de Murcia.
- Anastacio PM, Ribeiro F, Capinha C, Banha F, Gama M, Filipe AF, Rebelo R, Sousa R. 2019 Non-native freshwater fauna in Portugal: A review. Science of the Total Environment, 650: 1923-1934.



- Andrés D. 2013. Moluscos terrestres y dulceacuícolas de Yecla. *Athene*, 23: 33-81.
- Andreu A, Oliva-Paterna FJ, Verdiell D, Torralva M. 2004. Primeras citas de *Alburnus alburnus* (L. 1758) y *Tinca tinca* (L. 1758) en la cuenca del río Segura (Murcia, sudeste de la Península Ibérica). *Anales de Biología* 26: 222-224.
- Araujo R. 2006. La afección del mejillón cebra y su posible lucha en las infraestructuras, especialmente en los riegos tradicionales y modernizados del Levante Ibérico. *Confederación Hidrográfica del Júcar*.
- Ballesteros GA, Cabrera M, Echevarría JL, Lorenzo CJ, Raya C, Torres Esquivias JA, Viedma C. 2009. Tarro canelo, cerceta pardilla, porrón pardo, malvasía cabeciblanca y focha moruna en España. Población en 2007 y método de censo. SEO/BirdLife. Madrid.
- Ballesteros GA. Evolución de la población y selección de humedales de la malvasía cabeciblanca *Oxyura leucocephala* en la Región de Murcia (2000-2017). *Bosque mediterráneo y humedales: paisaje, evolución y conservación* (Almud, ed). Castilla La Mancha.
- Balmori A. 2014. Utilidad de la legislación sobre especies invasoras para la conservación de las especies de galápagos ibéricos. *Boletín de la Asociación Herpetológica Española*, 25(1): 68-74.
- Banks AN, Wright L, Maclean IM, Hann C, Rehfisch MM. 2008. Review of the status of introduced non-native waterbird species in the area of the African-Eurasian Waterbird. British Trust for Ornithology. United Kingdom.
- Barranco P, De la Peña, J, Cabello T. 1996 El picudo rojo de las palmeras, *Rhynchophorus ferrugineus* (Olivier), nueva plaga en Europa. (Coleoptera, Curculionidae). *Phytoma España* 67: 36-40.
- Barry J, Mc Leish J, Dodd JA, Turnbull JF, Boylan P, Adams CE. 2014. Introduced parasite *Anguillicola crassus* infection significantly impedes swim bladder function in the European eel *Anguilla anguilla* (L.). *Journal of Fish Diseases* 37(10): 921-924.
- Batalha HR, Ramos JA, Cardoso GC. 2013. A successful avian invasion occupies a marginal ecological niche. *Acta Oecologica* 49: 92-98.
- Béjar D, Calvet M, Font J, Itziar González. 2004. *Lonicera japonica*. InvasIBER. <http://invasiber.org>
- Beklioglu M, Moss B. 1998. The effects of tench (*Tinca tinca* (L.) and sticklebacks (*Gasterosteus aculeatus* L.) on planktonic and benthic communities in mesocosms in a shallow lake. *Aquatic Ecology* 32(3): 229-240.
- Benejam L, Saura Mas S, Saperas A. 2011. First record of the spiny-cheek crayfish *Orconectes limosus* (Rafinesque, 1817) introduced to the Iberian Peninsula. *Aquatic Invasions* 6: 111-113.
- Blanco S, Ector L. 2009. Distribution, ecology and nuisance effects of the freshwater invasive diatom *Didymosphenia geminata* (Lyngbye) M. Schmidt: a literature review. *Nova Hedwigia* 88: 347-422.
- CABI. 2018. *Invasive Species Compendium*. Wallingford, UK: CAB International.



- Campos M, Pou Q, Feo C, Araujo R, Font J. 2013. Colección de fichas para la gestión de especies exóticas invasoras en ríos y zonas húmedas. Proyecto Estany. LIFE+ Natura.
- Capdevila L, Iglesias A, Orueta JF, Zilletti B. 2006. Especies Exóticas Invasoras: Diagnóstico y bases para la prevención y el manejo. Organismo Autónomo de Parques Nacionales. Ministerio de Medio Ambiente. Madrid.
- Capdevila L, Zilletti B, Suárez VA. 2011. Manual de las Especies Exóticas Invasoras en los Ríos y Riberas de la Cuenca Hidrográfica del Duero. Ministerio de Medio Ambiente, Medio Rural y Marino: Confederación Hidrográfica del Duero.
- Carbonell JA, Guareschi S, Coccia C, Sánchez Fernández D, Velasco J, Boyero L, Green AJ, Millán A. 2012. Distribución de *Trichocorixa verticalis verticalis* (Fieber, (Heteroptera: Corixidae) a nivel mundial y su expansión en la península ibérica. (ed. EEI 2012 Notas Científicas). GEIB Serie Técnica 5: 148–152.
- Carbonell JA, Millán A, Green AJ, Céspedes V, Coccia C, Velasco J. 2016. What traits underpin the successful establishment and spread of the invasive water bug *Trichocorixa verticalis verticalis* (Fieber, 1851)? *Hydrobiologia* 768, 273–286.
- Carboneras C, Kirwan GM. (2018). Ruddy Shelduck (*Tadorna ferruginea*). Handbook of the Birds of the World Alive (Lynx, eds.) Disponible en <https://www.hbw.com> (con acceso el 14/10/2018).
- Carrillo, A.F., Cánovas, L., Miras, E.B., Arnaldos, I.M., Ruiz, A., 2017. *La restauración de riberas del río Segura. Experiencias de trabajo*. Dirección General de Medio Natural. Murcia. 120 pp.
- Carol J, García-Berthou E. 2017. Siluro – *Silurus glanis*. *Enciclopedia Virtual de los Vertebrados Españoles*. (Sanz JJ & García Berthou E, ed.). Museo Nacional de Ciencias Naturales, Madrid.
- Castejón D, Guerao G. 2013. A new record of the American blue crab, *Callinectes sapidus* Rathbun, 1896 (Decapoda: Brachyura: Portunidae), from the Mediterranean coast of the Iberian Peninsula. *BiolInvasions Records* 2(2): 141–143.
- Castro L, Pagola S. 2010. *Vespa velutina* Lepeletier, 1836 (Hymenoptera: Vespidae), recolectada en la Península Ibérica. *Heteropterus Rev. Entomol* 10: 193-196.
- Champagnon J, Elmberg J, Guillemain M, Gauthier Clerc M, Lebreton JD. 2012. Conspecifics can be aliens too: A review of effects of restocking practices in vertebrates. *Journal for Nature Conservation* 20(4): 231-241.
- Champagnon J, Guillemain M, Elmberg J, Folkesson K, Gauthier Clerc M. 2010. Changes in Mallard *Anas platyrhynchos* bill morphology after 30 years of supplemental stocking. *Bird Study* 57: 3.
- Cifuentes N, Hurtado A, Ruiz T. 2007. Lucha integral contra el Jacinto de agua (*Eichhornia crassipes*) en el tramo medio del río Guadiana. En: GEIB Grupo Especialista en Invasiones Biológicas (ed) (2007) Invasiones biológicas: un factor del cambio global. EEI 2006 actualización de conocimientos. GEIB, Serie Técnica N° 3, 280 pp.



- Clavero M. 2011. Assessing the risk of freshwater fish introductions into the Iberian Peninsula. *Freshwater Biology* 56: 2145-2155.
- Clavero M, Villero D. 2013. Historical Ecology and Invasion Biology: Long-Term Distribution Changes of Introduced Freshwater Species. *BioScience* 64(2): 145-153.
- Clavero M, García-Berthou E. 2005. Invasive species are a leading cause of animal extinctions. *Trends in Ecology and Evolution* 20:1-2.
- Cobo F, Vieira R, Rego E, Servia MJ. 2010. Temporal trends in non-indigenous freshwater species records during the 20th century: a case study in the Iberian Peninsula. *Biodiversity and Conservation* 19: 3471- 3487.
- Collantes F, Delacour S, Alarcón Elbal PM, Ruiz Arrondo I, Delgado JA, Torrell Sorio A, Bengoa M, Eritja R, Miranda MÁ, Molina R, Lucientes J. 2015. Review of ten-years presence of *Aedes albopictus* in Spain 2004–2014: known distribution and public health concerns. *Parasites & Vectors* 8(1): 655.
- Collantes F, Delacour S, Delgado JA, Bengoa M, Torrell Sorio A, Guinea H, Ruiz S, Lucientes J, Mosquito Alert. 2016. Updating the known distribution of *Aedes albopictus* (Skuse, 1894) in Spain 2015. *Acta Tropica* 164: 64–68.
- Collantes F, Delgado JA. 2011. Primera Cita de *Aedes* (*Stegomyia*) *albopictus* (Skuse, 1894) en la Región de Murcia. *Anales de Biología* 33: 99–101.
- Confederación Hidrográfica del Ebro (CHE). 2009. Ficha Especies Exóticas Invasoras Cuenca del Ebro: *Potamopyrgus antipodarum*.
- Confederación Hidrográfica del Júcar (CHJ). 2017. Plan de choque contra la invasión del mejillón cebra en la Confederación Hidrográfica del Júcar.
- Constán S, Bonet A. 2013. Manual Técnico para el control de la especie invasora *Ailanthus altissima* (Mill.) Swingle en Espacios Naturales Protegidos. Universidad de Alicante: Estación Científica Font Roja Natura.
- Cucherrousset J, Olden JD. 2011. Ecological impacts of non-native freshwater fishes. *Fisheries* 36: 215-230.
- Dana ED, Sanz M, Vivas S, Sobrino E. 2005. Especies Vegetales Invasoras en Andalucía. Dirección General de la Red de Espacios Naturales Protegidos y Servicios Ambientales. Junta de Andalucía: Consejería de Medio Ambiente. Sevilla.
- Dana ED, García de Lomas J, González J, García-Ocaña DM, Gámez V, Ceballos G, Ortega F. 2011. Manual de gestión de cangrejos invasores. Junta de Andalucía: Consejería de Medio Ambiente. Sevilla.
- Dana ED, García J, Ceballos G, Ortega F. 2014. Manual práctico de Selección y priorización de actuaciones de gestión de Especies Exóticas Invasoras. Consejería de Medio Ambientes y Ordenación del Territorio. Junta de Andalucía.
- Dana ED, García J, García-Ocaña DM, Gámez V, Ortiz JM, Galindo FJ, Rubio S, Ceballos G. 2015. Primer hallazgo de *Pseudorasbora parva* (Temminck & Schlegel, 1846) (Cyprinidae) en la Cuenca Sur de España. *Limnetica* 34(2): 311-320.



- De Charleroy D, Grisez L, Thomas K, Belpaire C, Ollevier F. 1990. The life cycle of *Anguillicola crassus*. *Diseases of Aquatic Organisms* 8: 77–84.
- De Juana E, García E. 2015. *The birds of the Iberian Peninsula*. Bloomsbury Publishing, London.
- De Kock KN, Wolmarans CT. 2007. Distribution and habitats of the alien invader freshwater snail *Physa acuta* in South Africa. *Water Sa* 33 (5): 717–722.
- Deltora V, Jiménez J, Vilán XM. 2012. Bases para el manejo y control de *Arundo donax* L. (Caña común). Colección Manuales Técnicos de Biodiversidad, 4. Generalitat Valenciana: Conselleria d'Infraestructures, Territori i Medi Ambient.
- Dillon RT, Watson BT, Stewart TW, Reeves WK. 2006. *The freshwater gastropods of North America*.
- Doadrio I. 2001. Atlas y Libro Rojo de los Peces Continentales de España (Museo Nacional de Ciencias Naturales, ed.), pp. 213–215. Madrid: Dirección General de Conservación de la Naturaleza, Museo Nacional de Ciencias Naturales.
- Doadrio I, Perea S, Garzón-Heydt P, González JL. 2011. Ictiofauna continental española. Bases para su seguimiento. Madrid: Dirección General de Medio Natural y Política Forestal.
- Durán CC, Anadón A. 2012. Guía de campo. Moluscos acuáticos de la cuenca del Ebro. Ministerio de Medio Ambiente, Medio Rural y Marino: Confederación Hidrográfica del Ebro.
- El-Mergawy RA, Faure N, Nasr M, Avand Faghih A, Rochat D, Silvain JF. 2011. Mitochondrial Genetic Variation and Invasion History of Red Palm Weevil, *Rhynchophorus ferrugineus* (Coleoptera: Curculionidae), in Middle-East and Mediterranean Basin. *Int. J. Agric. Biol.* 13: 631–637.
- Enríquez de Salamanca A, Iglesias, S. 2012. El chopo híbrido (*Populus x canadensis* Moench), una especie ignorada. Asociación y Colegio Oficial de Ingenieros Técnicos Forestales. *Foresta* 56.
- EPPO. 2018. EPPO Global Database. Disponible online <https://gd.eppo.int>
- Especies exóticas del río Segura. Juega y aprende. 2017. Comunidad Autónoma de la Región de Murcia: Consejería de Turismo, Cultura y Medio Ambiente.
- Fernández A. 2008. Recopilación de citas de aves exóticas en la Región de Murcia. Asociación de Naturalistas del Sureste (ANSE).
- Fernández Delgado C. 2007. Eradication of carp (*Cyprinus carpio*) in Zofar lagoon. Universidad de Córdoba.
- Fleming R, Fraser PEH. 2001. The impact of waterfowl on water quality: literature review. Ridgetown College. University of Guelph.
- Gabaldón L, Robles M. 2009. Guía de peces y cangrejos de Castilla-La Mancha. Dirección General de Política Forestal. Junta de Comunidades de Castilla-La Mancha: Consejería de Agricultura y Desarrollo Rural.



- Gallardo B, Zieritz A, Adriaens T, Bellard C, Boets P, Britton JR, Newman JR, van Valkenburg JLCH, Aldridge DC. 2016. Trans-national horizon scanning for invasive non-native species: a case study in western Europe. *Biological Invasion* 18(1): 17-30.
- Gallardo B, Capdevila L. 2018 Cambio Climático y Especies Exóticas Invasoras en la Red de Parques Nacionales: diagnóstico, adaptación y gobernanza. Proyecto Biocambio. CSIC, GEIB, Fundación Biodiversidad.
- Gallego MJ. 2012. *Nicotiana glauca* Graham in Castroviejo, S., Aedo, C., Laínz, M., Muñoz Garmendia, F., Nieto Feliner, G., Paiva, J. & Benedí, C. (eds.). *Flora ibérica* 11. Real Jardín Botánico, CSIC, Madrid.
- García A, Rodríguez O. 2009. *Nicotiana glauca* R.C. Graham.
- García-Berthou E. 2007. The characteristics of invasive fishes: what has been learned so far? *Journal of Fish Biology* 71 (Suplem. D): 33-55.
- García-Berthou E, Boix D, Clavero M. 2007. Non-indigenous animal species naturalized in Iberian inland waters. En Gherardi F (ed.) *Biological invaders in inland waters: profiles, distribution, and threats*. *Invading Nature: Springer Series in Invasion Ecology*. Netherlands, Springer, pp. 123-140.
- García-Berthou E, Almeida D, Benajam L, Magellan K, Bae MJ, Casals F, Merciai R. 2015. Impacto ecológico de los peces continentales introducidos en la península ibérica. *Ecosistemas* 24: 36-42.
- García-Meseguer AJ, Esteve MA, Robledano F, Miñano J. 2017. Atlas y Libro Rojo de los Moluscos Continentales de la Región de Murcia. Oficina de Impulso Socioeconómico del Medio Ambiente. Comunidad Autónoma de la Región de Murcia: Consejería de Agua, Agricultura y Medio Ambiente.
- Gasull L. 1971. Fauna malacológica de las aguas continentales dulces y salobres del su-deste ibérico. *Boletín de la Sociedad Española de Historia Natural de Baleares* 16: 23-93.
- Gasull L. 1974. Una interesante localidad con *Melanoides tuberculata* (Müller) en la provincia de Castellón de la Plana (Mollusc. Prosobr.). *Boletín de la Sociedad Española de Historia Natural de Baleares* 19: 148-150.
- Generalitat Valenciana – Conselleria de Presidència i Agricultura, Pesca, Alimentació i Aigua 2015. *El Caracol Manzana: Pomacea insularum*.
- Global Invasive Species Database (GISD). 2018. Invasive Species Specialist Group of the IUCN Species Survival Commission. <http://www.iucngisd.org/gisd>. Acceso en diciembre 2018.
- Gómez R. 1988. Los moluscos (Gastropoda & Bivalvia) de las aguas epicontinentales de la cuenca del río Segura (S.E. de España). Tesis de Licenciatura. Universidad de Murcia.
- Gómez RM, Vidal Abarca R. 1988. *Gyraulus chinensis* Dunker 1848 (Pulmonata, Planorbidae) en la península Ibérica. *Iberus* 8 (1): 115-118.



- González-Wangüemert M, Pujol JA. 2016. First record of the Atlantic blue crab *Callinectes sapidus* (Crustacea: Brachyura: Portunidae) in the Segura River mouth (Spain, southwestern Mediterranean Sea). *Turkish Journal of Zoology*, 40: 615-619.
- Grupo especialista en invasiones biológicas (GEIB). 2011. Manual de las especies exóticas invasoras de los ríos y riberas de la Cuenca hidrográfica del Duero. Confederación hidrográfica del Duero (eds.). Imprenta El Ejido, S.L. Valladolid.
- Guareschi S, Coccia C, Sánchez-Fernández D, Carbonell JA, Velasco J, Boyero L, Green AJ, Millán A. 2013. How Far Could the Alien Boatman *Trichocorixa verticalis verticalis* spread? Worldwide Estimation of Its Current and Future Potential Distribution. *PLoS ONE* 8(3).
- Guerrero J, Jarne M. 2014. Las especies exóticas invasoras en Aragón. Ed. Consejo de Protección de la naturaleza de Aragón. Zaragoza.
- Guillot D, Laguna E, Roselló JA. 2009. Flora alóctona valenciana: Familia Cactaceae. Monografías de la revista *Boutelou* 5.
- Günter H. 2004. *Trichocorixa verticalis verticalis* (Fieber), eine nearktische Ruderwanze in Europa (Heteroptera: Corixidae). *Mitteilungen des Internationalen Entomologischen Vereines* 29(1/2): 45-49.
- GyroDb. 2007. A home for gyroductylids on the web.
- Harper J. 1972. The Tardy Domestication of the Duck. *Agricultural History* 46 (3): 385-389
- Haxaire J, Bouguet JP, Tamisier JP. 2006. *Vespa velutina* Lepeletier, 1836, une redoutable nouveauté pour la faune de France (Hym., Vespidae). *Bulletin de la Société entomologique de France* 111: 194.
- Hermoso de Mendoza P. 2009. Plantas exóticas invasoras en el Guadalquivir: arbustos y árboles. *Arvícola*, 1.
- Iglesias R, García JM, Ayres C, Acuña A, Cordero A. 2015. First reported outbreak of severe spirorchidiiasis in *Emys orbicularis*, probably resulting from a parasite spillover event. *Diseases of aquatic organisms* 113(1): 75-80.
- Illán G, Blas I, Ruiz I. 2012. Descripción y caracterización epidemiológica de la parasitofauna de peces ciprínidos de la cuenca alta y media del río Duero. Tesis Doctoral. Universidad de Zaragoza.
- InvasIBER. 2019. Especies exóticas invasoras de la Península Ibérica. Acción especial REN2002-10059-E. <http://invasiber.org>. Publicación electrónica (versión 04/2019).
- Kilroy C. 2004. A new alien diatom, *Didymosphenia geminata* (Lyngbye) Schmidt— its biology, distribution, effects and potential risks for New Zealand fresh waters. National Institute of Water and Atmospheric Research. New Zealand, Client Report 128.
- Kirk RS. 2003. The impact of *Anguillicola crassus* on European eels. *Fisheries Management and Ecology* 10: 385-394.
- Kumschick S, Nentwig W. 2010. Some alien birds have as severe an impact as the most effectual alien mammals in Europe. *Biological Conservation* 143(11): 2757-2762.



- L'Mohdi O, Bennas N, Himmi O, Hajji K, El Haissoufi M, Hernando C, Carbonell JA, Millán A. 2010. *Trichocorixa verticalis verticalis* (Fieber 1851) (Hemiptera, Corixidae): une nouvelle espèce exotique au Maroc. *Boletín de la Sociedad Entomológica Aragonesa* 46: 395–400.
- Lefebvre F, Wielgoss S, Nagasawa K, Moravec F. 2012. On the origin of *Anguillicoloides crassus*, the invasive nematode of anguillid eels. *Aquatic Invasions* 7 (4): 443–453.
- Leunda PM. 2010. Impacts of non-native fishes on Iberian freshwater ichthyofauna: current knowledge and gaps. *Aquatic Invasions* 5: 239–262.
- Litzgus JD, Smith S.E. 2010. Geographic variation in sexual size dimorphism in painted turtles (*Chrysemys picta*). *Journal of Herpetology* 44: 320–326.
- López S, Gonzáles M, Goldarazena A. 2011. *Vespa velutina* Lepeletier, 1836 (Hymenoptera: Vespidae): first records in Iberian Peninsula. *Bull. OEPP/EPPO Bull* 41 :439–441.
- Lorettu M. 2016. *Pennisetum villosum*. InvasIBER. <http://invasiber.org>
- Lowe S, Browne M, Boudjelas S, De Poorter M. 2004. 100 de las Especies Exóticas Invasoras más dañinas del mundo. Una selección del Global Invasive Species Database. Publicado por el Grupo Especialista de Especies Invasoras (GEEI), un grupo especialista de la Comisión de Supervivencia de Especies (CSE) de la Unión Mundial para la Naturaleza (UICN), 12pp.
- Maceda A, López R, Green AJ. 2017. Dramatic impact of alien carp *Cyprinus carpio* on globally threatened diving ducks and other waterbirds in Mediterranean shallow lakes. *Biological Conservation* 212: 74–85.
- Marchante E, Marchante H, Freitas H. 2008. Guia práctico para a identificação de plantas invasoras de Portugal Continental. Universidad de Coimbra.
- Martínez A, Hidalgo J, Pérez N, Díaz-Paniagua C. 2015. Galápagos de Florida –*Trachemys scripta*. *Enciclopedia Virtual de los Vertebrados Españoles*. (Salvador A & Marco A, ed.). Museo Nacional de Ciencias Naturales, Madrid.
- Martínez C, Ruiz P, Peñalver J, Mayo E, García A, Muñoz P. 2011. Prevalence of *Anguillicoloides crassus* (Nematoda, Dracunculoidea) in wild European eels (*Anguilla anguilla* L.) from Mar Menor lagoon (Western Mediterranean, Spain). *Revue de Médecine Vétérinaire* 162(3):154–158.
- Martínez F, Ribarrocha V. 2016. Moluscos de Aguas Continentales de la Comunitat Valenciana. Colección Biodiversidad, 20. Generalitat Valenciana: Conselleria d'Agricultura, Medi Ambient, Canvi Climàtic i Desenvolupament Rural.
- Matienzo Y, Ramos B, Rijo E. 2003. Revisión bibliográfica sobre *Lantana camara* L. una amenaza para la ganadería. *Fitosanidad* 7 (4). Instituto de Investigaciones de Sanidad Vegetal. Cuba.
- Melero Y, Palazón S. 2017. Visón americano – Neovison vison. *Enciclopedia Virtual de los Vertebrados Españoles*. (Salvador, A & Barja, I ed.). Museo Nacional de Ciencias Naturales, Madrid.

- Mienis HK. 2004. A graveyard of *Planorbella duryi* forma seminole on the shores of Lake Albano, Italy. *Ellipsaria* 6: 12–13.
- Millikin MR, Williams AB. 1984. Synopsis of Biological Data on the Blue Crab, *Callinectes sapidus* Rathbun. FAO Fisheries Synopsis, 138: 1–39.
- Miñano PA, Oliva-Paterna FJ, Torralva M. 2002. Primera cita de *Sander lucioperca* (L.) (*Actinopterygii*, *Percidae*) en la cuenca del río Segura, SE de España. *Anales de Biología* 24: 77–79.
- Ministerio de Agricultura Alimentación y Medio Ambiente. 2013. Fichas del Catálogo Español de Especies Exóticas Invasoras. Gobierno de España.
- Ministerio de Agricultura, Alimentación y Medio Ambiente. 2007. Estrategia Nacional de restauración de ríos: La invasión de especies exóticas en los ríos. Gobierno de España.
- Ministerio de Agricultura, Alimentación y Medio Ambiente. 2013. Catálogo Español De Especies Exóticas Invasoras. Gobierno de España.
- Ministerio de Medio Ambiente, Rural y Marino. 2009. Estrategia Nacional para el control del Mejillón cebra (*Dreissena polymorpha*) en España.
- Ministerio para la Transición Ecológica. 2018. Estrategia de gestión, control y posible erradicación del plumero de la pampa (*Cortaderia selloana*) y otras especies de *Cortaderia*.
- Mondragón J, Vibrans H. 2009. *Acacia farnesiana* Comisión Nacional para el Conocimiento y Uso de la Biodiversidad (CONABIO).
- Morales J, Flechoso F, Lizana M, Negro A. 2013. Patrones de colonización y ecología de poblaciones de dos bivalvos invasores (mejillón cebra *Dreissena polymorpha* Pallas, 1771 y almeja asiática *Corbicula fluminea* Müller, 1774) en un tramo lótico del Ebro medio (Castejón, Navarra). *Munibe* 61: 47–69.
- Moreno-Valcarcel R, Ruiz-Navarro A. 2009. *Gambusia* – *Gambusia holbrooki*. Enciclopedia Virtual de los Vertebrados Españoles. (Salvador, A ed.). Museo Nacional de Ciencias Naturales, Madrid.
- Muñoz P, Verdiell D, Romero D, Barcala E, M^a Dolores E, Parrondo Celdrán P. 2019 First data on the presence of *Anguillicola crassus* in European eel from the Segura River Basin (SE Iberian Peninsula). 19th International Conference of European Association of Fish Pathologists. Porto. Portugal.
- Munster V, Wallensten A, Baas C, Rimmelzwaan G, Schutten M, Olsen B, et al. 2005. Mallards and highly pathogenic avian influenza ancestral viruses, northern Europe. *Emerging Infectious Diseases* 11: 1545–1551.
- Naspledá J, Zamora L, Vila-Gispert A. 2012. *Pez sol* – *Lepomis gibbosus*. Enciclopedia Virtual de los Vertebrados Españoles. (Salvador A & Elvira B, ed.). Museo Nacional de Ciencias Naturales, Madrid.
- Navarro C, Muñoz F. 2015. *Melia azedarach* L. in Castroviejo, S., Aedo, C., Laínz, M., Muñoz Garmendia, F., Nieto Feliner, G., Paiva, J. & Benedí, C. (eds.). *Flora ibérica* 9. Real Jardín Botánico, CSIC, Madrid.



- Nehring S. 2011. In the Wrong Place - Alien Marine Crustaceans: Distribution, Biology and Impacts 607–624.
- Nentwig W, Blick T, Gloor D, Hänggi A, Kropf C. 2019. Araneae. Spiders from Europe. Version 2018. Online en <https://www.araneae.nmbe.ch>, acceso en diciembre 2018.
- Oliva-Paterna FJ, Andreu A, Verdiell D, Torralva M. 2005. First occurrence of *Lepomis gibbosus* (L., 1758) in the Segura river basin (SE, Spain). *Limnetica* 24(3-4): 199-202.
- Oliva-Paterna FJ, Andreu A, Torralva M. 2007. Especies Invasoras colonizan la Cuenca del Río Segura: El efecto Frankenstein. *Dugastella* 4: 63-68.
- Oliva-Paterna FJ, Arenas R, Persson G, Fernández-Delgado C. 2009. Invasive fish control using chemical methods in closed wetlands of Andalusia (Southern Spain). *BIOLIEF. World Conference on Biological Invasions and Ecosystem Functioning*. Oporto.
- Oliva-Paterna FJ, Verdiell D, Ruiz-Navarro A, Torralva M. 2014. La ictiofauna continental de la Cuenca del río Segura (S.E. Península Ibérica): décadas después de Mas (1986). *Anales de Biología* 36: 37-45.
- Oliva Paterna FJ, Zamora-Marín JM, Zamora-López A, Guillén A, Torralva M. 2017. Asesoría y apoyo técnico en programas de gestión y control de taxones exóticos invasores. Contrato de apoyo tecnológico y asesoría entre la Universidad de Murcia y la empresa LATIZAL S.L. Documento técnico informe de actividades. Universidad de Murcia.
- Oliva-Paterna FJ, Amat F, Sánchez-Pérez A, Zamora-Marín JM, Ruiz-Navarro A, Torralva M. 2017. Peces exóticos en la Cuenca del río Segura: impactos potenciales y prioridad en la gestión. Biodiversidad y procesos ecológicos en el Sureste Ibérico. Universidad de Murcia: Servicio de publicaciones, pp. 251-260.
- Oliva-Paterna FJ, Zamora-Marín JM, Franco JM, Zamora-López A, Sánchez-Pérez A, Amat-Trigo F, Guillén A, Guerrero A, Torralva M. 2019. Peces dulceacuícolas de la cuenca del río Segura. (Ed.) ANSE. Asociación de Naturalistas del Sureste. Murcia.
- Orueta JF. 2003. Manual práctico para el manejo de vertebrados invasores en islas de España y Portugal. Govern de les Illes Balears.
- Paiva, J. 1999. *Acacia farnesiana* (L.) Willd. in Castroviejo, S., Aedo, C., Laínz, M., Muñoz Garmendia, F., Nieto Feliner, G., Paiva, J. & Benedí, C. (eds.). *Flora ibérica* 7. Real Jardín Botánico, CSIC, Madrid.
- Palacios CJ. 2002. Primeros datos sobre la fenología y biología reproductora del tarro canelo (*Tadorna ferruginea*) en Fuerteventura, Islas Canarias (Aves: Anatidae). *Vieraea: Folia Scientiarum Biologicarum Canariensium* 30: 1-7.
- Patiño J, Marco A. 2005. Potencial invasor de los galápagos exóticos en el País Vasco. *Munibe* 56: 97-112.
- Pemán, J, Cosculluela J, López A. 2013. *Platanus hispanica* Mill.ex Münchh.
- Perez-Bote JL. 2010. *Barbus comizo* infestation by *Lernaea cyprinacea* (Crustacea: Copepoda) in the Guadiana River, southwestern Spain. *J Appl Ichthyol* 26: 592–595.
- Piasecki W, Goodwin AE, Eiras JC, Nowak BF. 2004. Importance of copepoda in freshwater aquaculture. *Zool Stud* 43: 193-205.

- Polo N, López P, Martín J. 2010. Competitive inter-actions during basking between native and invasive freshwater turtles species. *Biological Invasions* 12: 2141-2152.
- Polo N. 2009. Factores que afectan a la competencia entre el galápago leproso (*Mauremys leprosa*) y el introducido galápago de Florida (*Trachemys scripta*). Tesis Doctoral. Universidad Autónoma de Madrid.
- Pujadas AJ, Plaza L. 2010. Lantana camara L. in Castroviejo, S., Aedo, C., Laínz, M., Muñoz Garmendia, F., Nieto Feliner, G., Paiva, J. & Benedí, C. (eds.). *Flora ibérica* 12. Real Jardín Botánico, CSIC, Madrid.
- Quiñonero S, López J, Ruiz R, López A, Pérez A. 2014. Nuevas citas de *Planorbella duryi* (Wetherby, 1879) (Gastropoda: Planorbiidae) para España. *Spira* 5 (3): 133-135.
- Quiñonero S, López J. 2013. Moluscos dulceacuícolas invasores del Delta del Ebro (Cataluña, España). *Spira*, 5 (1-2): 59-71.
- Redón S, Amat F, Sánchez MI, Green AJ. 2015. Comparing cestode infections and their consequences for host fitness in two sexual branchiopods: alien *Artemia franciscana* and native *A. salina* from mixed-populations. *PeerJ* 3:e1073.
- Rivas S. 2013. Biología y ecología del bivalvo invasor *Corbicula fluminea* (Müller, 1774) (Mollusca, Bivalvia, Veneroidea) en el tramo internacional del río Miño (Galicia, España). Tesis Doctoral. Universidad de Santiago de Compostela.
- Robertson PA, Adriaens T, Caizergues A, Cranswick PA, Devos K, Gutiérrez Expósito C, Henderson I, Hughes B, Mil AC, Smich GC. 2015. Towards the European eradication of the North America ruddy duck. *Biological Invasions* 17 (1): 9-12.
- Rocha ML. 1991. *Platanus hispanica* Mill. Ex Münchh. in Castroviejo, S., Aedo, C., Laínz, M., Muñoz Garmendia, F., Nieto Feliner, G., Paiva, J. & Benedí, C. (eds.). *Flora ibérica* 2. Real Jardín Botánico, CSIC, Madrid.
- Rodríguez E, Sorolla A, Núñez E, García MC, Hernández S. 2014. El Caracol Manzana. *Pomacea maculata* y *Pomacea canaliculata*. Gobierno de Aragón - Dirección General de Alimentación y Fomento Agroalimentario
- Rowe DK. 2004. Potential effects of tench *Tinca tinca* in New Zealand freshwater ecosystems. NIWA Client Report No HAM2004 005. National Institute of water and Atmospheric Research Ltd. Hamilton. New Zealand.
- Roy HE, Bacher S, Essl F, Adriaens T, Aldridge DC, Bishop JDD, Blackburn TM, Branquart E, Brodie J, Carboneras C, Cottier-Cook EJ, Copp GH, Dean HJ, Eilenberg J, Gallardo B, García M, García-Berthou E, Genovesi P, Hulme PE, Kenis M, Kerckhof F, Kettunen M, Nieto A, Pergl J, Pescott OL, Peyton JM, Preda C, Roques A, Rorke SL, Scalera R, Schindler S, Schönrogge K, Sewell J, Wojciech Solarz, Alan JA Stewart, Elena Tricarico, Sonia Vanderhoeven, Gerard van der Velde, Vilà M, Wood CA, Zenetos A, Rabitsch W. 2018. Developing a list of invasive alien species likely to threaten biodiversity and ecosystems in the European Union. *Global Change Biology* 25(3): 1032-1048.
- Ruiz R, Quiñonero S. 2010. Presencia de *Melanoides tuberculatus* (O.F. Müller, 1774) (Gastropoda: Thiaridae) en l'Aldea (el Baix Ebre, Cataluña, España). *Spira* 3 (3-4): 141-147.



- Ruiz-Navarro A, Verdiell D, Torralva M, Oliva-Paterna FJ. 2013. Dilution stress facilitates colonization of invasive mosquitofish in a saline Mediterranean stream: population biology response. *Aquatic Conservation: Marine and Freshwater Ecosystem* 23: 77-87.
- Ruiz-Navarro A, Verdiell D, Torralva M, Oliva-Paterna FJ. 2013. Removal control of the highly invasive fish *Gambusia holbrooki* and effects on its population biology: learning by doing. *Wildlife Research* 40(1): 82-89.
- Ruiz-Navarro A, Torralva M, Oliva-Paterna FJ. 2013. Trophic overlap between cohabiting populations of invasive mosquitofish and an endangered toothcarp at changing salinity conditions. *Aquatic Biology* 19: 1-11.
- Salgado G, Rubio M. 2014. Helmintos parásitos de peces de agua dulce introducidos. En *Especies acuáticas invasoras en México* (Mendoza R. y Koleff P. eds.). Comisión Nacional para el Conocimiento y Uso de la Biodiversidad. México, pp. 269-285.
- Salvador-Vilariño V. 2015. Diagnóstico de la situación de las especies exóticas invasoras dentro del ámbito del proyecto LIFE11 NAT ES/699 MedWetRivers. Sociedad Pública de Infraestructuras y Medio Ambiente de Castilla y León S.A (SOMACYL).
- Salvador-Vilariño, V. 2015. Diagnóstico de la situación de las especies exóticas invasoras dentro del ámbito del proyecto LIFE11 NAT ES/699 MedWetRivers. Sociedad Pública de Infraestructuras y Medio Ambiente de Castilla y León S.A (SOMACYL).
- Sánchez de Lorenzo JM. *Cercis siliquastrum*. 2006. Ayuntamiento de Murcia: Concejalía de Medio Ambiente y Calidad Urbana.
- Sánchez de Lorenzo JM. *Palmeras de Murcia*. Catálogo descriptivo e ilustrado de las palmeras de Murcia. Disponible
- Sánchez M. *Cercis siliquastrum* – Árbol del Amor. 2001.
- Sánchez MI, Mata M, Hortas F, Redón S. 2017. El último despertar de *Artemia*: Crónica de una extinción anunciada. *Quercus* 377: 30-38.
- Sánchez, Hernández J. 2017. *Lernaea cyprinacea* (Crustacea: Copepoda) in the Iberian Peninsula: climate implications on host–parasite interactions. *Knowledge and Managment of Aquatic Ecosystem*, 418: 11.
- Sánchez-Gómez P, Carrión MA, Hernández A, Vera JB, López Espinosa JA. 2003. Notas corológicas y nomenclaturas para la flora del Sureste Ibérico. *Anales de Biología* 25. Universidad de Murcia.
- Sánchez-Gómez P, López D, Cánovas JL, Jiménez JF, Vera JB, Martínez P. 2018. Novedades florísticas para las provincias de Murcia, Albacete y Almería (España). *Anales de Biología* 40. Universidad de Murcia.
- Sancho V, Lacomba JI, Bataller JV, Carrasco A. 2015. Manual para el Control y Erradicación de Galápagos Invasores. Colección Manuales Técnicos de Biodiversidad, 6. Conselleria d'Agricultura, Medi Ambient, Canvi Climàtic i Desenvolupament Rural. Generalitat Valenciana. Valencia.

- Santín I, Jiménez J, Vilán XM, Sánchez FJ, García, J. 2012. Efectos del tamaño y humedad del rizoma en la capacidad invasora de *Arundo donax* L. en condiciones controladas. (2012) En: GEIB Grupo Especialista en Invasiones Biológicas (eds.) EEI 2012 Notas Científicas. pp. 188-189. 4º Congreso Nacional sobre Especies Exóticas Invasoras "EEI 2012". GEIB, Serie Técnica 5: 218.
- Sanz JJ, García Berthou E. 2017. Lucio – *Esox lucius*. Enciclopedia Virtual de los Vertebrados Españoles. (Salvador A, ed.). Museo Nacional de Ciencias Naturales, Madrid.
- Sanz M, Dana E, Sobrino E. 2004. Atlas de las Plantas Alóctonas Invasoras en España. Dirección General para la Biodiversidad.
- Scalera R. 2006. *Trachemys scripta* in VVAA. Delivering Alien Invasive Species Inventories For Europe (DAISIE).
- SIBIC. 2019. Carta Piscícola Española (CPE). <http://www.cartapiscicola.es>. Publicación electrónica (versión 05/2019).
- Sidorovich VE, Macdonald DW, Kruuk K, Krasko DA. 2000. Behavioural interactions between the naturalized American mink *Mustela vison* and the native riparian mustelids, NE Belarus, with implications for population changes. *Small Carnivores Conservation* 22: 1-5.
- Soler J, Moreno D, Araujo R, Ramos MA. 2006. Diversidad y distribución de los moluscos de agua dulce en la Comunidad de Madrid (España). *Graellsia* 62: 201-252.
- Soto S. 2002. Especies exóticas invasoras de la Península ibérica. InvasIBER. <http://invasiber.org>
- Sousa R, Antunes C, Guilhermino L. 2008. Ecology of the invasive Asian clam *Corbicula fluminea* (Müller, 1774) in aquatic ecosystems: an overview. *Ann. Limnol. - Int. J. Lim.* 44 (2): 85-94.
- Tola G. 2016. *Oxalis pes-caprae*. InvasIBER. <http://invasiber.org>
- Tomas P, Oscoz J, Duran C, Fernandez D, Marin JP. 2010. Distribution of the bloom-forming diatom *Didymosphenia geminata* in the Ebro River basin (northeast Spain) in the period 2006-2009. *Aquatic Invasions* 5: 285-289.
- Torralva M, Oliva-Paterna FJ. 1997. Primera cita de *Chondrostoma polylepis* Steindachner, 1865 (Cyprinidae) en la Cuenca del Río Segura. SE de España. *Limnetica* 13(1): 1-3.
- Torralva M, Oliva-Paterna FJ, Andreu A, Verdiell D, Miñano PA, Egea A. 2005. Atlas de Distribución de los Peces Continentales de la Región de Murcia. Dirección General del Medio Natural. Murcia.
- Torres F, Macías M. 2013. El cranc de riu a Catalunya. *Agrupació naturalista i ecologista de la Garrotxa* 67.
- Uetz P, Freed P, Hošek J. (eds.). 2018. The Reptile Database, <http://www.reptile-database.org>, Acceso diciembre 2018.
- Unión Europea. 2014. Especies Exóticas Invasoras. La respuesta de Europa. Luxemburgo: Oficina de Publicaciones de la Unión Europea.



- Vandamme D, Ghamizi M, Seddon MB, Budha PB, Dutta J, Cordeiro, J. 2017. *Haitia acuta*. The IUCN Red List of Threatened Species 2017: e.T155538A91354457.
- Velasco J, Ríos S, Vives R, Llorente N, Sánchez D, Abellán P, Martínez V. 2008. Restauración de riberas. Manual para la restauración de riberas de la cuenca del río Segura. Ministerio de Medio Ambiente y Medio Rural y Marino: Confederación Hidrográfica del Segura.
- Verdejo E, Palmerín JA, Aibar J, Cirujeda A, Taberner A, Zaragoza C. 2006. El lirio de agua (*Eichhornia crassipes*). Ministerio de Agricultura Pesca y Alimentación.
- Vilà M, Valladares F, Traveset A, L. Santamaría L, Castro P (Coord.). 2008. Invasiones Biológicas. Colección Divulgación, CSIC (ed.), Madrid
- Villemant C, Haxaire J, Streito JC. 2006. Premier bilan de l'invasion de *Vespa velutina* Lepeletier en France (Hymenoptera, Vespidae). Bulletin de la Société entomologique de France 111(4): 535.
- Villemant C, Rome Q, Muller F. 2010. *Vespa velutina*, un nouvel envahisseur prédateur d'abeilles. La lettre de la SECAS 62 : 14-18.
- Whitton BA, Ellwood NTW, Kawecka B. 2009. Biology of the freshwater diatom *Didymosphenia*: a review. *Hydrobiologia* 630:1-37.
- Zamora-Marín JM, Sánchez-Pérez A, Amat F. 2017. Depredación de lucio (*Esox lucius* L., 1758) sobre rata de agua (*Arvicola sapidus* Miller, 1908) en la Región de Murcia (SE España). *Galemys* 29.
- Zamora-Marín JM, Zamora-López A, Sánchez-Pérez A, Torralva M, Oliva-Paterna FJ. 2018. Establecimiento de la almeja asiática *Corbicula fluminea* (Müller, 1774) en la cuenca del río Segura (SE Península Ibérica). *Limnetica* 37(1): 1-7.
- Zamora-Marín JM, Zamora-López A, Torralva M, Oliva-Paterna FJ. 2016. Presencia de la especie invasora *Pacifastacus leniusculus* (Dana, 1852) en la Cuenca del río Segura (SE España). *Anales de Biología* 38: 119-122.

